

HENKEL CONSUMER ADHESIVES 50 WEST DRIVE BRAMPTON, ONTARIO CANADA L6T 2J4 (905) 459-1140

# PRODUCT : NO MORE NAILS



## SECTION 01: PRODUCT INFORMATION

MANUFACTURER......HENKEL CONSUMER ADHESIVES

50 WEST DRIVE BRAMPTON, ONTARIO CANADA ; L6T 2J4 (905) 459-1140

AFTER HOURS - CANUTEC (613) 996-6666

WHMIS CLASSIFICATION......D2A

T.D.G. CLASSIFICATION......NOT REGULATED PRODUCT NAME......NO MORE NAILS CHEMICAL FAMILY......ACRYLIC COPOLYMER

MATERIAL USE......ADHESIVE

# SECTION 02: HAZARDOUS INGREDIENTS

HAZARDOUS INGREDIENTS	8	EXPOSURE LEVELS	C.A.S. #	LD/50, ROUTE, SPECIES	LC/50, ROUTE, SPECIES
Crystalline silica	0.1-1	0.1 mg/m3 (dust)	14808-60-7	Not available	Not available

#### SECTION 03: PHYSICAL DATA

PHYSICAL STATE......Paste

ODOUR THRESHOLD (ppm).....Not available VAPOUR PRESSURE (mm Hg).....Not applicable VAPOUR DENSITY (AIR=1).....not applicable

BY VOLUME BY WEIGHT

BOILING POINT (deg C).....100 deg C рн.....8.0-9.0 SPECIFIC GRAVITY.....1.29 SOLUBILITY IN WATER (% W/W).....Soluble

COEFFICIENT OF WATER/OIL.....Not available

DISTRIBUTION

## SECTION 04: FIRE & EXPLOSION DATA

IF YES, UNDER WHICH......Not applicable

CONDITIONS?

AUTO IGNITION TEMPERATURE......Not available

Water Fog.

SPECIAL PROCEDURES......Firefighters should wear the usual protective gear; self-contained

breathing apparatus.

FLASH POINT (C), MRTHOD..... 95 C

LOWER FLAMMABLE LIMIT (% VOL)....Not applicable

UPPER FLAMMABLE LIMIT (% VOL)....Not applicable

HAZARDOUS COMBUSTION PRODUCTS....Oxides of carbon (CO,CO2). Acetic acid

# SECTION 05: REACTIVITY DATA

CHEMICAL STABILITY:

YES......Under normal conditions

NO, WHICH CONDITIONS ?

COMPATIBILITY WITH OTHER SUBSTANCES:

YES

NO, WHICH ONES?.....Strong oxidizing agents

REACTIVITY CONDITIONS ?.....On contact with water

EAZARDOUS PRODUCTS OF......Oxides of carbon (CO,CO2) at high temperatures.

DECOMPOSITION

01162003

#### MATERIAL SAFETY DATA SHEET : 00000704

PAGE: 2

#### PRODUCT : NO MORE NAILS

# SECTION 06: TOXICOLOGICAL PROPERTIES

ROUTE OF ENTRY:

SKIN CONTACT......May cause mild irritation, especially on prolonged contact.

SKIN ABSORPTION.................. data

EYE CONTACT......Slightly irritating but does not cause eye tissue damage.

IMHALATION...........Not considered a hazard under normal conditions of use.

INGESTION.....Low toxicity

EFFECTS OF ACUTE EXPOSURE....... No specific effects known. Refer to route of entry.

EFFECTS OF CHRONIC EXPOSURE.....May aggravate existing eye, skin, and lung conditions. This product

contains crystalline silica. Prolonged exposure to respirable crystalline

quartz may cause delayed (chronic) lung injury (silicosis).

LD 50 OF MATERIAL, SPECIES &.... Not available

ROUTE

LC 50 OF MATERIAL, SPECIES &.... Not available

ROUTE

EXPOSURE LIMIT OF MATERIAL......Not available

IRRITANCY OF MATERIAL......Mild. Refer to route of entry

SENSITIZING CAPABILITY OF......None known

MATERIAL

CARCINOGENICITY OF MATERIAL.....Crystalline silica is an IARC-listed known lung carcinogen. The

crystalline silica contained in this product will not typically become

airborne during normal conditions of use. Not indicated

SYNERGISTIC MATERIALS......Not available

## SECTION 07: PREVENTATIVE MEASURES

GLOVES/ TYPE......During prolonged contact impervious gloves should be worn.

RESPIRATORY/TYPE.............Use approved respirator for dusts and mists when sanding, grinding or

machining cured compound.

EYE/TYPE......wear an eye protection apparatus.

FOOTWEAR/TYPE.....Standard work shoes.

CLOTHING/TYPE.....Standard work clothes. VESTILATION REQUIREMENTS......use adequate general ventilation.

LEAK/SPILL......Clean up spills immediately. Absorb residual material with sand, or other

absorbent material. Flush area with plenty of water. Spilled material and water rinses are classified as chemical waste, and must be disposed of in accordance with current local, provincial, and federal regulations.

Prevent runoff into drains, sewers, and other waterways.

HANDLING PROCEDURES AND.......use adequate ventilation. Wear chemical splash goggles, gloves, and EOUIPMENT protective clothing. Avoid skin and eye contact. Wash thoroughly after

handling.

STORAGE NEEDS.......KEEP AWAY FROM CHILDREN. Keep container closed when not in use. Store

above 0 deg C. SPECIAL SHIPPING INSTRUCTIONS.... Not regulated

# SECTION 08: FIRST AID MEASURES

EYE CONTACT..... of 15 minutes holding lids

apart to ensure flushing of entire surface. Washing within 1 minute is

essential to achieve maximum effectiveness.

INGESTION...... If individual is conscious, give water to dilute stomach contents. Get

immediate medical attention. DO NOT attempt to give anything by mouth to a

drowsy or unconscious person.

INHALATION......Remove to fresh air. If symptoms develop, seek medical attention.

SKIN CONTACT......Remove contaminated clothing. Wash affected area with water and soap. Seek

medical attention if irritation occurs or persists. Discard footwear that

has been contaminated on the inner surface.

## SECTION 09: PREPARATION INFORMATION

TELEPHONE NUMBER:....(905) 459-1140

DISCLAIMER2:..... and suggestions appearing herein concerning our product are based upon tests and data believed to be reliable. However, it is the user's responsibility to determine the safety, toxicity, and suitability for his own use of the product described herein. Since the actual use by others is beyond our control, no guarantee, express or implied, is made by Henkel Consumer Adhesives as to the effects of such use, the results obtained, or the safety and toxicity of the product nor does Henkel Consumer Adhesives assume any liability arising out of use, by others, of the product referred to herein. The information herein is not to be construed as absolutely complete since additional information may be necessary or desirable when particular or exceptional conditions or circumstan ces exist or because of applicable

laws or government regulations.

01162003	<del> </del>	SAFETY	DATA SHEET : 00000704	PAGE: 3
PRODUCT : NO MORI	NAILS			
SECTION 09: PREPARAT	ION INFORMATION			
PREPARATION DATE	JAN 09/2003			
CANU	TEC EMERGENCY	(613)	996-6666	

.